

Precision Gas Products Inc.

2455 Cawthra Road, Unit 21 Mississauga, Ontario L5A 3P1

Tel: (905)-949-2626/1-888-730-8196

Fax: (905)-949-2688

Emergency Contact: Chemtrec (800) 424-9300

Pentane 0.0001% to 2.0%, Oxygen 2% to 23% in Nitrogen Balance Gas

MATERIAL SAFETY DATA SHEET

Identification

Revision Date 01-01-15

Products Name: Pentane 0.0001% TO 0.75%, Oxygen 2% TO 23% IN Nitrogen

Chemical Family: Gas Mixture

Chemical formula: C₅H₁₂, O₂ in N₂

Synonyms: Pentane, Oxygen in Nitrogen Mix. Pentane LEL Mix

MSDS identification Code/ Number: MSDS 156MX

Composition/ Information on Ingredients

Ingredient Name	Exposure Limits	Concentration Percent by Weight
Pentane CAS Number 0109-66-0	ACGIH TWA: 600 PPM ACGIH STEL: 750 PPM OSHA TWA: 1000 PPM Canada TWA: 600 PPM Canada STEL: 750 PPM	0.0001% to 0.75%
Oxygen CAS Number 7782-44-7	None	2% to 23%
Nitrogen CAS Number 7727-37-9	None Simple asphyxiant. Maintain oxygen levels above 19.5% at sea level.	76.25% to 98.0%

Hazard Identification

No data given

First Aid Measures

Inhalation Exposure

Prompt medical attention is mandatory in all cases of overexposure. Rescue personnel should be equipped with self-contained breathing apparatus.

Victims should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area, given artificial resuscitation and supplemental oxygen. Further treatment should be symptomatic and supportive.

Skin – Exposure: None expected.

Eye – Exposure: None expected.

Fire Fighting Measures

Flammable Properties

Flash Point: None

Lower Explosive Limit (%): 1.5% (Pentane)

Upper Explosive Limit (%): 7.8% (Pentane)

- Electrical Classification: Nonhazardous
- Extinguishing Media: Use any extinguishing media that is suitable for the surrounding fire. Use water spray to cool fire-exposed container.
- Special Fire Fighting Instructions: If possible, stop the flow of gas which is supporting the fire.

Accidental Release Measures

Evacuate all personnel from affected areas. Use appropriate protective equipment. If leak is in user's equipment, be certain to purge piping with an inert gas prior to attempting repairs. If leak is in container or container valve, contact CHEMTREC location for emergency assistance.

Handling and Storage

• Handling and Storage Precautions

Use only in well – ventilated areas. Valve protection caps must remain in place unless container is secured with valve outlet piped to use point. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Use a pressure-reducing regulator when connecting cylinder to lower pressure (<3000 psig) piping or systems. Do not heat cylinder by any means to increase the discharge rate of product from the cylinder. Use a check valve or trap in the discharge line to prevent hazardous backflow into the system.

Protect cylinders from physical damage. Store in cool, dry, well – ventilated area of noncombustible construction away from heavily trafficked areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 130°F (54°C). Cylinders should be stored upright and firmly secured to prevent falling or being knocked over. Use a “first in, first out” inventory system to prevent full cylinders being stored for excessive periods of time. Post “NO SMOKING OR OPEN FLAMES” signs in the storage area or use area. There should be no sources of ignition in the storage or use area.

Never carry a compressed gas cylinder or a container of a gas in cryogenic liquid form in an enclosed space such as a car trunk, van or station wagon. A leak can result in a fire, asphyxiation or toxic exposure.

Exposure Controls/Personal Protection

Ventilation: Use local exhaust

Eye Protection: Safety goggles or glasses.

Skin Protection: Protective gloves of any material.

Respiratory Protection: A self-contained breathing apparatus should be available for emergency use.

Other/General Protection: Safety shoes.

Physical & Chemical Properties

- Boiling Point: Not Determined
- Vapor Pressure: Above critical temperature.
- Specific Gravity: 1.0 @ STP
- Solubility (H₂O): Slightly soluble.
- Appearance: Colorless gas.
- Odor: Odorless

Stability & Reactivity

Stability: Stable

Incompatible Materials: These mixtures are noncorrosive and may be used with all materials of construction. Oxygen concentrations above 21% enhance the combustion of many materials

Hazardous Polymerization: Will not occur

Toxicological Information

These mixtures are nontoxic. They may act as a simple asphyxiant if released in a confined area and displace oxygen in the air to levels less than necessary to support life. Maintain oxygen levels above 19.5% at sea level

Carcinogenicity – NTP: No IARC: No OSHA: No

Ecological Information

No data given

Disposal Considerations

Do not attempt to dispose of waste or unused quantities. Return in the shipping container properly labeled, with any valve outlet plugs or caps secure and valve protection cap in place to Precision Gas Products for proper disposal. Non-refillable containers should be vented in a well ventilated area then disposed of in compliance with local regulations.

Transport Information

Proper Shipping Name: Compressed Gas, N.O.S (Pentane, Nitrogen)

Hazardous Class: 2.2

CT (DOT) Identification Number: UN 1956

CT (DOT) Shipping Label: Nonflammable gas

Regulatory Information

SARA Title III – Hazard Class: Acute Health Hazard

Sudden Release of Pressure Hazard

- **Other Environmental Information**

This product does not contain any ingredients which are regulated on the U.S. EPA list of Toxic Chemicals (40 CFR 372), and is therefore not subjected to release reporting under Section 313 of EPCRA/SARA Title III.

Other Information

Hazard Ratings:	Health:	1
	Fire:	0
	Reactivity:	0
	Special:	None

MSDS Identification Code / Number: MSDS 156MX

Reference Documentation

Compressed gas cylinders should not be refilled except by qualified producers of compressed gases. Shipments of a compressed gas cylinder, which has not been filled by the owner or with his (written) consent is a violation of Federal Law (49CFR).

Disclaimer of Expressed & Implied Warranties

Although responsible care has been taken in the preparation of the document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of this use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).